



## Dominion Measures for Commercial Lighting Rebate Program

| Item                       | New Fixture *Minimum Annual Operating Hours = 1500*           | Replaces            | Rebate per Item |
|----------------------------|---|---------------------|-----------------|
| T8 with Electronic Ballast |   |                     |                 |
| 1                          | T8 - 8ft 1 lamp   | HID, T12            | \$ 3            |
| 2                          | T8 - 8ft 2 lamp   | HID, T12            | \$ 5            |
| 3                          | T8 - 4ft 4 lamp   | HID, T12            | \$ 10           |
| 4                          | T8 - 4ft 3 lamp   | HID, T12            | \$ 9            |
| 5                          | T8 - 4ft 2 lamp   | HID, T12            | \$ 5            |
| 6                          | T8 - 4ft 1 lamp   | HID, T12            | \$ 3            |
| 7                          | T8 - 3ft 4 lamp   | HID, T12            | \$ 5            |
| 8                          | T8 - 3ft 3 lamp   | HID, T12            | \$ 3            |
| 9                          | T8 - 3ft 2 lamp   | HID, T12            | \$ 3            |
| 10                         | T8 - 3ft 1 lamp   | HID, T12            | \$ 3            |
| 11                         | T8 - 2ft 4 lamp   | T12                 | \$ 6            |
| 12                         | T8 - 2ft 3 lamp   | T12                 | \$ 5            |
| 13                         | T8 - 2ft 2 lamp   | T12                 | \$ 3            |
| 14                         | T8 - 2ft 1 lamp   | T12                 | \$ 2            |
| 15                         | T8 HO - 8ft 1 lamp  | T12                 | \$ 6            |
| 16                         | T8 HO - 8ft 2 lamp  | T12                 | \$ 13           |
| 80                         | T8 - 2 - 2ft 17watt Lamps with Reflector & NB                 | 2 Biax Lamps in 2x2 | \$ 16           |
| 81                         | T8 - 3 - 2ft 17watt Lamps with Reflector & NB                 | 2 Biax Lamps in 2x2 | \$ 12           |
| 82                         | T8 Enclosed Fixture (Office hours) - 2 Lamp NB No Reflector   | 75W-100W HID        | \$ 13           |
| 83                         | T8 Enclosed Fixture (Office hours) - 2 Lamp HB Miro Reflector | 150W-175W HID       | \$ 32           |
| 84                         | T8 Enclosed Fixture (Office hours) - 3 Lamp NB No Reflector   | 150W-175W HID       | \$ 29           |
| 85                         | T8 Enclosed Fixture (Office hours) - 3 Lamp HB Miro Reflector | 250 HID             | \$ 51           |
| 86                         | T8 Enclosed Fixture (8760 hours) - 2 Lamp NB No Reflector     | 75W-100W HID        | \$ 28           |
| 87                         | T8 Enclosed Fixture (8760 hours) - 2 Lamp HB Miro Reflector   | 150W-175W HID       | \$ 63           |
| 88                         | T8 Enclosed Fixture (8760 hours) - 3 Lamp NB No Reflector     | 150W-175W HID       | \$ 57           |
| 89                         | T8 Enclosed Fixture (8760 hours) - 3 Lamp HB Miro Reflector   | 250 HID             | \$ 100          |
| 17                         | T8 High-Bay - 4ft 4 lamp                                      | 250W HID            | \$ 43           |
| 18                         | T8 High-Bay - 4ft 6 lamp                                      | 400W HID            | \$ 66           |
| 19                         | T8 High-Bay - 4ft 8 lamp                                      | 400W HID            | \$ 45           |
| 90                         | T8 High-Bay - 4ft 6 lamp (double fixture)                     | 1000W HID           | \$ 175          |
| 20                         | T8 High-Bay - 4ft 8 lamp (double fixture)                     | 1000W HID           | \$ 138          |
| High Performance T8        |   |                     |                 |
| 21                         | LW HPT8 4ft 1 lamp T8LW T8                                    | T8                  | \$ 2            |
| 22                         | LW HPT8 4ft 2 lamp T8LW T8                                    | T8                  | \$ 3            |
| 23                         | LW HPT8 4ft 3 lamp T8LW T8                                    | T8                  | \$ 4            |
| 24                         | LW HPT8 4ft 4 lamp T8LW T8                                    | T8                  | \$ 6            |
| 25                         | HPT8 T8 4ft 2 lamp  | T12 8ft 1 lamp      | \$ 5            |
| 26                         | HPT8 T8 4ft 4 lamp  | T12 8ft 2 lamp      | \$ 3            |
| 27                         | HPT8 T8 4ft 2 lamp  | T12HO 8ft 1 lamp    | \$ 12           |
| 28                         | HPT8 T8 4ft 4 lamp  | T12HO 8ft 2 lamp    | \$ 20           |
| 29                         | HPT8 4ft 1 lamp   | T8                  | \$ 1            |
| 30                         | HPT8 4ft 2 lamp   | T8                  | \$ 2            |
| 31                         | HPT8 4ft 3 lamp   | T8                  | \$ 2            |
| 32                         | HPT8 4ft 4 lamp   | T8                  | \$ 4            |
| 33                         | HPT8 4ft 1 lamp   | T12                 | \$ 4            |
| 34                         | HPT8 4ft 2 lamp   | T12                 | \$ 6            |
| 35                         | HPT8 4ft 3 lamp   | T12                 | \$ 10           |
| 36                         | HPT8 4ft 4 lamp   | T12                 | \$ 12           |

For more information, please call **1-888-366-8280**. The Program is available until fully subscribed. Rebate amounts are subject to regulatory modifications without notice, and projects must be complete before rebates will be paid. Rebates cannot be reserved.



## Dominion Measures for Commercial Lighting Rebate Program

| Item   | New Fixture *Minimum Annual Operating Hours = 1500* | Replaces       | Rebate Per Item |
|--|---|----------------|-----------------|
| T5 with Electronic Ballast                               |   |                |                 |
| 37   | T5 - 1 lamp replacing T-12                          | T12            | \$ 3            |
| 38   | T5 - 2 lamp replacing T-12                          | T12            | \$ 3            |
| 39   | T5 - 3 lamp replacing T-12                          | T12            | \$ 7            |
| 40   | T5 - 4 lamp replacing T-12                          | T12            | \$ 6            |
| 41   | T5 HO - 1 lamp replacing T-12                       | T12            | \$ 4            |
| 42   | T5 HO - 2 lamp replacing T-12                       | T12            | \$ 5            |
| 43   | T5 HO - 3 lamp replacing T-12                       | T12            | \$ 6            |
| 44   | T5 HO - 4 lamp replacing T-12                       | T12            | \$ 13           |
| 91   | 2 Lamp T5 28W NB                                    | 75 to 100W HID | \$ 25           |
| 92   | 3 Lamp T5 28W NB                                    | 150W HID       | \$ 49           |
| 93   | T5 HO Enclosed - 2 lamp Miro Reflector              | 250 W HID      | \$ 101          |
| 94   | T5 2 Lamp - 2ft lamps 24 watts                      | 75W-100W HID   | \$ 12           |
| 95   | T5 3 Lamp - 2ft lamps 24 watts                      | 150 W HID      | \$ 24           |
| 96   | T5 4 Lamp - 2ft lamps 24 watts                      | 175W HID       | \$ 25           |
| 97   | T5 - 2 - 4ft HO Lamps                               | 250W HID       | \$ 42           |
| 45   | T5 HO - Highbay 2L                                  | HID            | \$ 29           |
| 46   | T5 HO - Highbay 3L                                  | HID            | \$ 31           |
| 47   | T5 HO - Highbay 4L                                  | HID            | \$ 61           |
| 48   | T5 HO - Highbay 6L                                  | HID            | \$ 26           |
| 98   | T5HO - Highbay 5L (double fixture)                  | 1000W HID      | \$ 146          |
| 49   | T5HO - Highbay 6L (double fixture)                  | 1000W HID      | \$ 100          |
| Compact Flouescent Lamps (CFL)                           |   |                |                 |
| 50   | CFL - Screw In (bulb only) - <30W                   | Incandescent   | \$ 1.50         |
| 51   | CFL - Screw In (bulb only) 30W or greater           | Incandescent   | \$ 2            |
| 52   | CFL - 42W 8 Lamp Highbay CFL                        | HID            | \$ 24           |
| 53   | CFL - Fixture/Wallpack                              | 300W+ MH       | \$ 62           |
| 54   | CFL - Fixture/Wallpack                              | 150-299W MH    | \$ 36           |
| 55   | CFL - Hardwired fixture less than 30W               | Incandescent   | \$ 24           |
| 56   | CFL - Hardwired fixture 30W or greater              | Incandescent   | \$ 24           |
| Metal Halide - Pulse Start (must reduct overall wattage) |   |                |                 |
| 57   | 100W or less  |                | \$ 11           |
| 58   | 101W to 200W  |                | \$ 32           |
| 59   | 201W or geater                                      |                | \$ 76           |



## Dominion Measures for Commercial Lighting Rebate Program

| Item   | New Fixture *Minimum Annual Operating Hours = 1500*            | Replaces                 | Rebate Per Item |
|--|--|--------------------------|-----------------|
| LEDs   |  |                          |                 |
| 60   | LED Exit Signs   | Standard Exit Sign       | \$ 14           |
| 61   | 14 watts and up LED  | 51 watts & greater lamps | \$ 18           |
| 78   | 7-13 watt LED Lamps  | 30 to 50 watt lamps      | \$ 12           |
| 79   | 6 watt or less LED Lamps                                       | Less than 30 W lamps     | \$ 8            |
| 99   | LED 1X4 Panel  | T8                       | \$ 25           |
| 100  | LED 2x2 Panel - 8760 hours                                     | T8                       | \$ 25           |
| 101  | LED 2x2 Panel - Office hours                                   | T8                       | \$ 10           |
| 102  | Theatre LED <50W   | Theatre Spot > 500W      | \$ 165          |
| 62   | LED or Induction HE Exterior                                   | <175W HID                | \$ 18           |
| 63   | LED or Induction HE Exterior                                   | 175-250W HID             | \$ 28           |
| 64   | LED or Induction HE Exterior                                   | 250W-400W HID            | \$ 49           |
| 65   | LED or Induction HE Garage                                     | <175W HID                | \$ 42           |
| 66   | LED or Induction HE Garage                                     | 175-250W HID             | \$ 65           |
| 67   | LED or Induction HE Garage                                     | 250W-400W HID            | \$ 111          |
| 103  | LED or Induction HE Interior                                   | <100W HID                | \$ 18           |
| 104  | LED or Induction HE Interior                                   | 150W HID                 | \$ 27           |
| 105  | LED or Induction HE Interior                                   | 175W HID                 | \$ 32           |
| 106  | LED or Induction HE Interior                                   | 250W HID                 | \$ 44           |
| 107  | LED or Induction HE Interior                                   | 400W HID                 | \$ 83           |
| Other Efficient Lighting Technologies                          |  |                          |                 |
| 68   | Exterior Bi-Level Control with override 150-1000W HID          |                          | \$ 51           |
| Occupancy Sensors  |  |                          |                 |
| 69   | Under 500W connected load                                      |                          | \$ 27           |
| 70   | 500W and greater connected load                                |                          | \$ 69           |
| Controls   |  |                          |                 |
| 71   | Automatic, Stepped Controls for Multilevel Lighting/Daylight   |                          | \$ 552          |
| 72   | Central Lighting Control                                       |                          | \$ 794          |
| Item   | Bulb Type Removed with Reflector Installed                     | Length                   | Rebate Per Bulb |
| Delamping with Reflector Installation when Converting Fixtures |  |                          |                 |
| 73   | T12 to T5,T8 or HPT8 Conversion, reducing bulbs, add reflector | 8ft to 4ft               | \$ 7            |
| 74   | T12 to T5,T8 or HPT8 Conversion, reducing bulbs, add reflector | 4ft                      | \$ 7            |
| 75   | T12 to T5,T8 or HPT8 Conversion, reducing bulbs, add reflector | 3ft                      | \$ 6            |
| 76   | T12 to T5,T8 or HPT8 Conversion, reducing bulbs, add reflector | 2ft                      | \$ 5            |
| 77   | T12 to T5,T8 or HPT8 Conversion, reducing bulbs, add reflector | 4ft                      | \$ 5.50         |